

# CUT-OFF TOOL 75MM RRG-1036FH

This RED ROOSTER power cutter is used with 75 mm cutting discs. The grinding head can be tilted at an angle of 25 degrees in 2 positions. By this tilting head, hard-to-reach places are more accessible, this maximizes the ergonomic properties and allows you to use a high precision grinding. This tool has a very powerful air motor of 600 Watt. Very suitable for precise cutting of, for example, sheet steel, body parts and exhaust pipes.

#### Characteristics:

- Ergonomically shaped handle.
- Direction of rotation can be changed to divert the spark beam.
- Excellent thermal insulation.
- Easy adjustment of the protective cover 360 degrees.
- Silenced swivel rear exhaust.

#### Related products



**AC30A-F03E-B**  
Modular FRL Unit



**52630-11**  
Cutting Disc 75 x 1,6 x 9,5 mm

#### Related accessories



**ATLUB**  
Air Tool Oil, 1 litre



#### Specifications

<b>Brand</b>	RedRooster
<b>RPM</b>	16000
<b>Airconsumption (l/s)</b>	11,3
<b>Weight (kg)</b>	1,3
<b>Airconnection</b>	PT 1/4"
<b>Airpress max. (MPa)</b>	0,63
<b>mm A</b>	249
<b>mm B</b>	72
<b>Hosediameter (mm)</b>	10
<b>Spindle</b>	3/8" x 16
<b>Power (kW)</b>	0,6
<b>Wheel size (mm)</b>	75 x (0,8 - 3,5) x 10mm
<b>Safety standard</b>	EN ISO 11148-7
<b>Vibration standard</b>	EN ISO 28927-1
<b>Vibration value (m/s<sup>2</sup>)</b>	4,3
<b>Vibration uncertainty (m/s<sup>2</sup>)</b>	1,1
<b>Sound standard</b>	ISO 15744
<b>Sound pressure (dB(A))</b>	90
<b>Sound power (dB(A))</b>	101
<b>Sound uncertainty (dB(A))</b>	3
<b>EAN</b>	8717981400959

