

ANGLE IMPACT WRENCH 1/2"

RR-15A

This RED ROOSTER angle impact wrench is very compact and has an excellent weight/power ratio. The RR-15A is developed for assembly and disassembly applications. The Jumbo impact mechanism generates a high energy levels per blow with minimal vibration. The two-step trigger allows you to slow start. The very compact body of the RR-15A makes the tool very suitable for working in tight spaces.

Characteristics:

- Ergonomic design, great balance
- Compact and lightweight
- Jumbo impact mechanism
- Two-step trigger
- Power right adjustable, 2 positions
- Exhaust silenced, through grip



Related products

| | |
|-------------------------------------------------------------------------------------|----------------------------------------|
|  | D0605222601 |
| | Impact Socket Set 1/2"deep 26-parts |
|  | D0691121301 |
| | Impact Socket Set 1/2" & bits 13-parts |
|  | D069523108 |
| | Impact Socket Set 1/2" deep 10-parts |
|  | D0605202602 |
| | Impact Socket Set 1/2" 26-parts |
|  | D0652260701 |
| | Impact Socket Set 1/2" triple square |
|  | AC30A-F03E-D |
| | Frl Unit |

Related accessories

| | |
|-------------------------------------------------------------------------------------|-----------------------|
|  | ATLUB |
| | Air Tool Oil, 1 litre |

Specifications

| | |
|------------------------------------------------|-----------------------|
| Brand | RedRooster |
| Square Drive | 1/2" |
| Version | R |
| Bolt capacity (mm) | 14 |
| Impact mechanism | Jumbo-hammer |
| RPM | 7000 |
| Torque (Nm) | 310 |
| Force adjustment | R 2 |
| Airconsumption (l/s) | 7,1 |
| Weight (kg) | 1,8 |
| Airconnection | PT 1/4" |
| Airpress max. (MPa) | 0,63 |
| mm A | 340 |
| mm B | 32 |
| mm C | 67 |
| Hosediameter (mm) | 9,5 |
| Safety standard | EN ISO 11148-6 |
| Max. breakaway torque (Nm) | 500 |
| Vibration standard | EN ISO 28927-2 |
| Vibration value (m/s²) | 43,5 |
| Vibration uncertainty (m/s²) | 4,8 |
| Sound standard | ISO 15744 |
| Sound pressure (dB(A)) | 97 |
| Sound power (dB(A)) | 108 |
| Sound uncertainty (dB(A)) | 3 |
| EAN | 8717981361809 |

