

HAMMER Ø25X75/SCREW CAP HOLDER RRI-4612R VL

Features:

- * Vibration damped breakhammers (means give a high force per blow and a very low vibration and low noise level)
- * The RRI-4612R VL with a long stroke are very effective in their demolition job.
- * Highly dependable during the job and easy on the operator.
- * Choice between different shank-size and chisel-retainer.

Related products

B1000NC

Flat Chisel TL=1100 W=24

B1000MP

Moil Point TL=1000

B1500MP

Moil Point TL=1500

B350NC

Flat Chisel TL=425 W=24

B350MP

Moil Point TL= 425

B800MP

Moil Point TL=875

B450NC

Flat Chisel TL=535 W=24

B450MP

Moil Point TL= 535

B600NC

Flat Chisel TL=675 W=24



Specifications

Brand	RedRoosterIndustrial
Airconsumption (l/s)	16,6
Weight (kg)	12,9
Shank size (mm)	R [^] 25 x 75
Airconnection	PT 3/4"
Airpress max. (MPa)	0,63
mm A	645
mm B	120
Stroke (mm)	170
Strokes per minute	1290
Energy (J/Stroke)	81,2
Hosediameter (mm)	13
Piston (mm)	35
Safety standard	EN ISO 11148-4
Vibration standard	EN ISO 28927-10
Vibration value (m/s²)	5,6
Vibration uncertainty (m/s²)	0,7
Sound standard	ISO 15744
Sound pressure (dB(A))	83
Sound power (dB(A))	104
Sound uncertainty (dB(A))	0,86
EAN	8717981170180

