

IMPACT WRENCH 3/8"

MI-12

This TOKU Impact Wrench has an excellent weight/power ratio. The MI-12 is developed for assembly- and disassembly purposes. The Twin Hammer impact mechanism has a high energy level at each impact and thus suitable for heavy duty application. The energy is brought directly to the drive shaft for maximum power and minimal maintenance. This tool is suitable for industrial use.

Characteristics:

- Ergonomic design, well balanced
- Compact and lightweight
- Clutch: Twin Hammer
- Adjustable power, 4 positions
- Exhaust through rubber sealed grip, with silencer

Related products



AC30A-F03E-B
Modular FRL Unit



DO605121301
Impact Socket Set 3/8" deep 13-parts



DO611101301
Impact Socket Set 3/8" 13-parts

Related accessories



ATLUB
Air Tool Oil, 1 litre



Specifications

Brand	Toku
Square Drive	3/8"
Version	R
Bolt capacity (mm)	12
Impact mechanism	Twin-Hammer
RPM	9500
Torque (Nm)	160
Force adjustment	R/L 4 Standen
Airconsumption (l/s)	5,3
Weight (kg)	1,2
Airconnection	PT 1/4"
Airpress max. (MPa)	0,63
mm A	150
mm B	24
Hosediameter (mm)	6,5
Safety standard	EN ISO 11148-6
Vibration standard	EN ISO 28927-2
Vibration value (m/s ²)	5,9
Vibration uncertainty (m/s ²)	1,08
Sound standard	ISO 15744
Sound pressure (dB(A))	87
Sound power (dB(A))	98
Sound uncertainty (dB(A))	3
EAN	8717981000142

