







# CHIPPING HAMMER TFC-200F

This fluxchipper by Toku has a quick-change chisel retainer. Extremely high impactfrequency. For industrial use, chipping of welding seams.

#### Characteristics:

- Ergonomic design, well balanced
- Compact and lightweight
- Low on noise and vibrationlevels

#### Related products

-  **CB40906180**  
Chisel Bend TL=180 W=50
-  **CB40904180**  
Chisel Bend TL=180 W=35
-  **CB40901180**  
Moil Point TL=180
-  **CB40903180**  
Wide Chisel TL=180 W=35
-  **CB40902180**  
Flat Chisel TL= 180 B=19
-  **CB40905180**  
50Mm Wide Chisel,L=180Mm



#### Specifications

<b>Brand</b>	Toku
<b>Airconsumption (l/s)</b>	4,1
<b>Weight (kg)</b>	1,5
<b>Shank size (mm)</b>	V <sup>12,7</sup> x R <sup>9,5</sup>
<b>Airconnection</b>	PT 1/4"
<b>Airpress max. (MPa)</b>	0,63
<b>mm A</b>	189
<b>mm B</b>	40
<b>Stroke (mm)</b>	10
<b>Strokes per minute</b>	12000
<b>Energy (J/Stroke)</b>	1,1
<b>Hosediameter (mm)</b>	6,5
<b>Piston (mm)</b>	20
<b>Vibration standard</b>	EN ISO 28927-9
<b>Vibration value (m/s<sup>2</sup>)</b>	28,7
<b>Vibration uncertainty (m/s<sup>2</sup>)</b>	0,79
<b>Sound standard</b>	ISO 15744
<b>Sound pressure (dB(A))</b>	90
<b>Sound power (dB(A))</b>	101
<b>Sound uncertainty (dB(A))</b>	3
<b>EAN</b>	8717981148370

