RED ROOSTER
LEADING IN POWER TOOL SOLUTIONS

SPRING BALANCER 0,2-0,6KG TW-06R

In order to support the weight of pneumatic, hydraulic and electric tools, the use of a spring balancer should be considered. The performance of the tools will be speeded up due to good balance and reduced operator fatigue, when using a spring balancer. Applications: When heavy tools/machinery have to be portable. Fitting of centre lathe chuck. Transportation of parts in a production line.



Related products


RRI-ESL11003
Electric Screwdriver 0,05~0,34 Nm


RRI-ESD31011
Electric Screwdriver 0,2~1,07Nm


RRI-ESL30511
Electric Screwdriver 0,2~1,07Nm


RRI-ESL30514
Electric Screwdriver 0,29~1,37Nm


RRI-ESL10303
DC Electric Screwdriver 0,05~0,34Nm


RRI-ESL10302
DC Electric Screwdriver 0,03~0,17Nm

RRI-ESL11002
DC Electric Screwdriver 0,03~0,17Nm

RRI-ESL30504
Electric Screwdriver 0,11~0,39 Nm

RRI-ESL31007
Electric Screwdriver 0,12~0,73Nm


RRI-ESL31011
Electric Screwdriver 0,2~1,07Nm


RRI-ESL31604
Electric Screwdriver 0,11~0,39Nm

Specifications

Brand	**RedRoosterIndustrial**
Weight (kg)	**0,3**
Cablelength (m)	**1,5**
Capacity (kg)	**0,2 - 0,6**
EAN	**8717981466665**