



YZ-NP600A

Manual

*ES*

[www.rami-yokota.com](http://www.rami-yokota.com)



## Especificaciones técnicas

|   |   |
|---|---|
| Brand                                     | Yokota  |
| Bolt capacity (mm)                        | 6   |
| RPM                                       | 2000- 4800  |
| Torque (Nm)                               | 7 ~ 18  |
| Weight w/o battery (kg)                   | 1,0   |
| mm A                                      | 152   |
| mm B                                      | 29,5  |
| Square Drive / Hexagon                    | 1/4" HEX  |
| Battery voltage (Volt)                    | 18  |
| Battery type Li-ion....(Ah)               | 2,0   |
| Safety standard                           | 2014/30/EU, 2011/65/EU,2015/863 II EN 62481-1 :2015, EN 62481-2-2 :2014, EN 61000-6-2 :2005, EN 61000-6-4 :2007+A1 :2011, EN IEC 6300-0 :2018 |
| Formal Capacity                           | 7 ~ 20  |
| Formal Serie From                         | 0S0001  |
| Vibration standard                        | EN ISO 28927-2  |
| Vibration value (m/s <sup>2</sup> )       | < 2,5   |
| Vibration uncertainty (m/s <sup>2</sup> ) | 1   |
| Sound standard                            | ISO 15744   |
| Sound pressure (dB(A))                    | 72  |
| Sound uncertainty (dB(A))                 | 3   |
| Product Group                             | Impulse Wrenches  |
| Sales Group                               | 006   |
| UNSPSC number                             | 27131501  |
| Eclass number                             | 21061206  |
| EAN                                       | 8717981415366   |

[www.rami-yokota.com](http://www.rami-yokota.com)

---

RAMI YOKOTA BV | DE RUYTERKADE 120 | 1011 AB AMSTERDAM | THE NETHERLANDS  
Tel. +31-(0)20-5318800 E-mail [info@rami-yokota.com](mailto:info@rami-yokota.com) [www.rami-yokota.com](http://www.rami-yokota.com)

---

