



YZ-T1000E

Manual

NL

[www.rami-yokota.com](http://www.rami-yokota.com)



## Technische specificaties

Merk	Yokota
Aandrijfvierkant	1/2"
Boutcapaciteit (mm)	10-12
Toerental (min-1)	1200 ~ 3000
Koppel (Nm)	60 ~ 80
Gewicht zonder accu (kg)	1,83
mm A	204
mm B	30
Batterij voltage (Volt)	18
Battery type Li-ion....(Ah)	2,0
Veiligheidsnorm	2014/30/EU, 2011/65/EU,2015/863 II EN 62481-1 :2015, EN 62481-2-2 :2014, EN 61000-6-2 :2005, EN 61000-6-4 :2007+A1 :2011, EN IEC 6300-0 :2018
Formal Capacity	60 ~ 80
Formal Serie From	1A01779
Vibratiestandaard	EN ISO 28927-2
Vibratiewaarde (m/s <sup>2</sup> )	<2,5
Vibratieonzekerheid (m/s <sup>2</sup> )	1
Geluidsstandaard	ISO 15744
Geluidsdruk (dB(A))	71
Geluidsonzekerheid (dB(A))	3
Product Group	Impulse Wrenches
Sales Group	006
UNSPSC number	27131501
Eclass number	21061206
EAN	8717981439492

[www.rami-yokota.com](http://www.rami-yokota.com)

---

RAMI YOKOTA BV | DE RUYTERKADE 120 | 1011 AB AMSTERDAM | THE NETHERLANDS  
Tel. +31-(0)20-5318800 E-mail [info@rami-yokota.com](mailto:info@rami-yokota.com) [www.rami-yokota.com](http://www.rami-yokota.com)

---

